SureColor SC-Tx700 Single Function Series

Switch to highly-secure, high-quality, large format printing



8

EPSON

Exceptional performance, incredible detail

Whether this is your first investment in a large format printer or an expansion of your current print facilities, look no further than the Epson SureColor SC-Tx700 Series.

We are in control of the whole design and manufacturing process and every printer in the range features Epson's unique PrecisionCore MicroTFP printhead technology. This guarantees you exceptional performance and productivity, perfect for all businesses of any size.

If you're looking for a printer to deliver high print quality and precise line definition at high speeds for architectural or construction drawings, or need regular large format printing on a variety of media, we have a printer that suits your requirements.

Designed and built for flexibility and productivity

When selecting a large format printer, do you choose quality over speed or economy over security and productivity? With SureColor SC-Tx700 printers, there's no need to compromise.

Available in multiple configurations, there's sure to be a model that will be perfect for your specific needs. Choose from a range of 24-inch, 36-inch and 44-inch printers with the option of single or dual rolls, a choice of high capacity inks, and Adobe[®] PostScript[®] 3[™] support. PostScript[®] 3[™] enables driverless mobile support, enhanced print workflow and high quality printing. All the models in the series are equipped with state-of-the-art technology, enabling them to perform complex jobs with ease.

A choice of high-capacity ink solutions sizes offers a low total cost of ownership, ideal for regular large format printing across a wide range of media up to 1.5mm thick.



Professional large-scale printing for every business

Low operating costs, high-speed, highly-secure printing on a wide range of media will ensure you deliver precise, high quality documents and large-scale posters on time, every time without compromising on quality.

Architects

Display your CAD plans and drawings in outstanding detail

Create new perspectives and enable your clients and associates to explore the richness of your designs and renderings with stunning full-colour displays, precise line definition and high print quality. The SureColor SC-Tx700 Series large format printer range is ideal for architectural companies that require a versatile and durable product for printing detailed plans and drawings, and features new red ink that is perfect for marking up CAD drawings.

Engineering

Print incredible detail, fast

Low costs and high speeds make these large format printers ideal for engineers. Produce detailed and accurate large-scale drawings, renderings, schematics, blueprints and more whenever you need to. Permanent long lasting, high performance 2.64-inch wide printheads and less frequent cartridge replacement that enables unattended overnight printing means you control the quality of the prints.

Construction

Fast turnaround of highly accurate, detailed drawings

When accuracy and speed are important, you can rely on the SureColor SC-Tx700 Series to get the job done. Impress your clients and partners with your presentation of large format documents and plans with superb image clarity, quality and detail. Water-resistant pigment inks are ideal for printing CAD drawings that can be used on a construction site. Faster turnaround times for construction drawings will help you complete projects sooner and bid for more clients.

Point of Sale/Retail

Bright and precise colours at high speed

Make a first impression that lasts with high-quality, eye-catching Point of Sale materials guaranteed to grab your customers' attention. Print everything from hanging banners, signage, posters and wall graphics to floor graphics and decals. The SC-Tx700 Series features 6-colour UltraChrome XD3 all-pigment inks that can print bright, precise and long-lasting colours at high speed. The Series also includes a new red ink that matches the exact colour of red in corporate logos and accentuates red hues for food produce, such as tomatoes, strawberries etc.

Public sector

High security, high precision printing

Enjoy complete peace of mind that your highly confidential documents will be protected and secure while printing. Enhanced IT and security features, such as 802.1x network authentication, and device access control with encrypted pin/password and optional NFC card access ensure that confidential and sensitive documents will not be compromised. The SC-Tx700 Series is ideal for workers based across different sites or within large corporations who need secure, high-volume printing from their key business applications.

Smart features, easy operation, increased productivity

Everything you need from Epson – quality, innovation and performance – in a compact design and a choice of sizes.

Highly secure printing for confidential documents

With their enhanced IT and security features, the SC-Tx700 Series offer highly secure printing solutions for medium and large businesses. The printers' device access controls include encrypted pin/passwords and Access Control List (ACL). Secure communication is ensured with 802.1x network authentication, SNMPv3 and Device Identity Certificate (TLS). Encrypted SSD and NFC card authentication provide protection for confidential documents.

Increased productivity with high-speed continuous printing

The SC-Tx700 range offers print speeds of up to 130sqm² per hour for increased productivity. The 2.64-inch PrecisionCore MicroTFP printhead delivers exceptional output quality at high speed and the dual-roll models also allow auto-switching between two different media types or sizes. Adobe® PostScript® 3[™] enables simplified printing workflows, remote mobile printing, faster data processing and high quality output. The dual-roll printers in the series boost productivity by offering continuous unattended printing for 2 rolls, with automatic roll loading, media switching, auto-take up and roll to roll printing.

Compact, contemporary design for greater versatility

With their compact footprint, the SC-Tx700 Series are some of the smallest large format printers on the market. The flat top surface handily serves as a proofing bench. The versatile design makes them an ideal fit for most offices, with a flat back, front and sides allowing installation tightly against walls and cabinets. All printer features are accessed easily from the front, including the intuitive interface for easier operation, and the fully integrated retractable catch basket. Front access also makes routine maintenance quick and straightforward.





Enhanced image quality and mark-up prints with special red ink

These printers create high-quality images, with sharp line quality and detailed printing using the 2.64-inch PrecisionCore MicroTFP printhead, Variable Sized Droplet Technology, and Nozzle Verification Technology. The 6-colour UltraChrome XD3 all-pigment inks include a new red ink that is useful for marking up CAD drawings, matching the exact colour of red in corporate logos and accentuating red hues for food produce, such as tomatoes, strawberries etc.

Remote real-time print status monitoring and management

The Epson Cloud Solution PORT platform enables you to remotely monitor equipment across sites, or multiple printers at one site, anytime and anywhere.

The Production Monitor - one of the apps on the Epson Cloud Support PORT provides clear, easy-to-understand graphics so you can see at a glance how each printer in your fleet is performing. Detailed data can be used to easily analyse productivity and receive daily operational updates from anywhere. Maintenance tracking and remote troubleshooting services improve efficiency and productivity.





Compact technical printers offering highly secure, productive printing

24-inch / 610mm

SureColor SC-T3700E

With enhanced IT and security features, the SC-Tx700 Series offer highly secure printing solutions for medium and large businesses. The printers' device access controls include encrypted pin/passwords and Access Control List (ACL). Secure communication is ensured with 802.1x network authentication, SNMPv3 and Device Identity Certificate (TLS). Encrypted SSD and NFC card authentication provide protection for confidential documents.

36-inch / 910mm

SureColor SC-T3700D

Including all of the features above as well as a dual-roll facility that boosts productivity by offering continuous unattended printing for 2 rolls, with automatic roll loading, media switching, auto-take up and roll to roll printing. The T3700D model is available with Adobe[®] PostScript[®] 3[™], and the T3700DE comes without Postscript.

SureColor SC-T5700D

A dual-roll printer that provides a compact printing solution with the high for printing highly confidential documents. The new 2.64-inch PrecisionCore Micro TFP printhead delivers high print speeds for increased productivity. Variable Sized Droplet Technology, 12 channel inks (x2 per colour) and Nozzle Verification Technology provide sharp line quality and detailed printing. The dual-roll facility also boosts productivity.

44-inch / 1117mm

SureColor SC-T7700D

This fully integrated printer offers highly secure productive printing, smart features and easy operation. It features 6-colour UltraChrome XD3 all-pigment inks, including a new red ink that broadens the colour gamut. High printing speeds and a dual-roll facility also boost productivity.

SureColor SC-T7700DL

The SC-T7700DL combines high productivity with a low total cost of ownership. Offering all the benefits of the SC-Tx700 Series it also provides the capacity for extended print runs thanks to its integrated bulk ink solution with an option of 350ml, 700ml or 1.6L UltraChrome XD3 all-pigment inks. The entire printer fleet can also be monitored from a central point with Epson Cloud Solutions Port.









	EPSON	
-		
	4 ji	
		Ţ
		-

Ink Ink set 6 Colour - XD3 Pigment Ink Colour (Dedicated Channels for each colour) CMY, MK, PK, Red Volume 350ML / 700ML Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Line drawing Poster Poster Resolution up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Operation Web/Mobile AirPrint, Direct Wi-Fi, LAN	1.6L			
Ink Ink Colour (Dedicated channels for each colour) CMY, MK, PK, Red Print head South Colour Volume South / T00ML Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Poster Resolution up to 2400x1200 dpi Writh 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Writh 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Operation Web/Mobile AirPrint, Direct Wi-Fi, LAN Memory ECS Port Production Manager, Consumables montring, maintenance checks, Job History, Admin 4GB (plus optical second addressable) ±0.1% or ±0.26 mm (whichever greater)* Print Language ECS Port Production Manager, Consumables montring, maintenance checks, Job History, Admin 4GB (plus optical second addressable) ±0.1% or ±0.26 mm (whichever greater)* Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPAS, TAS, LDAP & optional NFC Security FM standard Media Handling Roll 0.07mm-0.8mm -	1.6L			
Ink CMC CMY, MK, PK, Red Volume 350ML / 700ML Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Line drawing Roll - up to 130m2 / Cut sheet - as fast as A1 16 seconds Print head up to 2400x1200 dpi Resolution up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Vieth User Inteface 3.5pl Operation User Inteface 3.5pl Memory FeSC/P rastser, HP-GL2, HP RTL, Adobe PostSorj 3. Adobe PDF 1.7 Adobe Post Script level 3 Formats ESC/P rastser, HP-GL2, HP RTL, Adobe PostSorj 3. Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Media Handling Roll - Automatic roll loading/feeding. Auto switching. Auto take up Media Handling Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm diameter - 12.5kg each - Cut sheet A4-A1 Roll 10-44 Cut sheet A4-A0 Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-44 Cut sheet A4-A0 Cut sheet A4-A0	1.6L			
Print head 350ML / 700ML Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Poster Resolution up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Operation Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Operation Web/Mobile 4.3-inch colour touchscreen Veb/Mobile AirPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admin Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling Roll 10-24-inch Roll 10-36-inch Roll 10-44 Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Borderless Print Media Handling Roll 10-24-inch Cut shee	1.6L			
Volume 350ML / 700ML Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Line drawing Roll - up to 130m2 / Cut sheet - as fast as A1 16 seconds Poster up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Operation Web/Mobile	1.6L			
Print head Micro TFP Piezo - 24 channels (4 per colour) - 400 nozzle per channel - protected by Nozzle Verification Technology Speed Line drawing Roll - up to 130m2 / Cut sheet - as fast as A1 16 seconds Poster up to 2400x1200 dpi Resolution up to 2400x1200 dpi Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Droplet size 3.5pl Operation User Inteface Web/Mobile AirPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admin Memory 4GB (plus optional 960pb SSD) Print Language Formats Adobe Post Standard - with 64gb eMMC Soript level 3 Formats Pess, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SIMP/03, TLS, LDAP & optional NFC Media Handling Roll - 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Cut sheet A-AO Cut sheet A-AO Media Handling				
Print flead protected by Nozzle Verification Technology Speed Line drawing Roll - up to 130m2 / Cut sheet - as fast as A1 16 seconds Proster up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Droplet size 3.5pl Operation User Inteface 4.3-inch colour touchscreen Operation Web/Mobile AirPrint, Direct Wi-Fi, LAN Memory Production Manager, Consumables monitoring, maintenance checks, Job History, Admit Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Media Handling Roll 0.07mm-0.8mm - Gut switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Cut sheet A4-A0 Roll 10-34-inch Cut sheet A4-A0 Media Handling Roll 10-24-inch Cut sheet A4-A0 Roll 10-44 Cut s				
Speed Poster Resolution up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Droplet size 3.5pl User Inteface 4.3-inch colour touchscreen Web/Mobile AirPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admin Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Standard - with 64gb eMMC Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm -0.8mm - Board 1.5mm Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm -0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4 Media Handling Roll 10-24-inch Cut sheet A4-A				
Poster up to 2400x1200 dpi Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Droplet size 3.5pl User Inteface 4.3-inch colour touchscreen Operation Web/Mobile ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Adminet AGB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats Script level 3 Formats Media Handling EPS, TIFF, JPEG, CALSG4 Media Handling Roll 10-24-inch Media Handling Cut sheet A4-A1 Media Handling Roll 10-24-inch Media Handling Roll 10-24-inch <				
Print accuracy Minimum Line Width 0.08mm (0.02mm addressable) ±0.1% or ±0.26 mm (whichever greater)* Droplet size 3.5pl Operation User Inteface 4.3-inch colour touchscreen Web/Mobile AirPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admit Memory Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Media Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44 Cut sheet A4-A1 Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A1 Roll 10-44 Cut sheet A4-A1 Media Handling Use Direct Standard Standard				
Print accuracy Width Utberline (0.02mint addressable) ±0.1% of ±0.26 mint (whichever greater) Droplet size 3.5pl Operation User Inteface 4.3-inch colour touchscreen Web/Mobile AirPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admint Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Media Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Cut sheet A4-A0 Media Handling Cut sheet A4-A1 Cut sheet A4-A0 Cut sheet A4-A0 Cut sheet A4-A0 Media Handling Use VI/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Connectivity <td></td>				
Droplet size 3.5pl Operation User Inteface 4.3-inch colour touchscreen Web/Mobile ArPrint, Direct Wi-Fi, LAN ECS Port Production Manager, Consumables monitoring, maintenance checks, Job History, Admin Memory FORMatting 4GB (plus optional 960gb SSD) Print Language ESS // Praster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats EPS, TIFF, JPEG, CALSG4 Script level 3 Formats EPS, TIFF, JPEG, CALSG4 Security Media Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 10.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Cut sheet A4-A0 Roll 110-36-inch Cut sheet A4-A0 Media Handling Us sheet A4-A1 Roll 110-44. Cut sheet A4-A1 Roll 110-44. Cut sheet A4-A0 Media Handling Us sheet A4-A0 Roll 10-44. Cut sheet A4-A0 Roll 10-44. Cut sheet A4-A0 Roll 10-44. Cut sheet A4-A0 <td></td>				
Operation Web/Mobile Intervent of order AirPrint, Direct Wi-Fi, LAN Memory Forduction Manager, Consumables monitoring, maintenance checks, Job History, Adminent additional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Formats Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Vedia Handling Media Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPV3, TLS, LDAP & optional NFC Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 10.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Media Handling Roll 10-24-inch Media Handling Cut sheet A4-A1 Media Handling Cut sheet A4-A1 Media Handling Cut sheet A4-A1 Media Handling Us sheet A4-A1 Media Handling Us sheet A4-A1 Media Handling Cut sheet A4-A1 Media Handling Us sheet A4-A1 Media Handling Us shee	3.5pl			
Instantion Production Manager, Consumables monitoring, maintenance checks, Job History, Administer Portugional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Media Handling Connectivity Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44. Cut sheet A4-A0 Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44. Cut sheet A4-A0 Media Handling WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x				
Memory 4GB (plus optional 960gb SSD) Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Port 1.7, EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Media Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Media Handling WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Connectivity USB Direct Standard	AirPrint, Direct Wi-Fi, LAN			
Print Language ESC/P raster, HP-GL2, HP RTL, Adobe PostScript 3, Adobe PDF 1.7 Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security Addia Handling 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Mediang Roll 1.0-27mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Mediang Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44 Cut sheet A4-A0 Connectivity USB Direct WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x	Production Manager, Consumables monitoring, maintenance checks, Job History, Admin rights			
Adobe Post Script level 3 No Standard - with 64gb eMMC Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44- Cut sheet A4-A0 Media Handling WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x VAN/LAN USB Direct Standard - with 64gb eMMC				
Adobe Post Script level 3 Formats EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44- Cut sheet A4-A0 Media Handling WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Vancetivity USB Direct Standard				
Script level 3 EPS, TIFF, JPEG, CALSG4 PDF 1.7, EPS, TIFF, JPEG, CalsG4 Security 28 different security features including: IPSEC, Admin controls, 802.1x, TPM, SNMPv3, TLS, LDAP & optional NFC Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A0 Media Handling Roll 10-24-inch Cut sheet A4-A0 Media Handling WAN/LAN WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x VStandard Standard				
Security TPM, SNMPv3, TLS, LĎAP & optional NFC Media Handling 2 Rolls (upto 170mm diameter - 12.5kg each) Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44- Cut sheet A4-A0 Media Handling Up to 91m max length WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x VBB Direct Standard Standard Standard				
Media Handling Roll - Automatic roll loading/feeding, Auto switching, Auto take up Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44- Cut sheet A4-A0 Media Handling WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x VBB Direct Standard				
Media Handling Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44 Cut sheet A4-A0 Media Handling WAN/LAN Up to 91m max length WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x USB Direct Standard				
Media Media Handling Borderless Print Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44 Cut sheet A4-A0 Media Handling Up to 91m max length Cut sheet A4-A0 WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Vandard USB Direct Standard Standard	Roll - Automatic roll loading/feeding, Auto switching, Auto take up			
Media Handling Roll 10-24-inch Cut sheet A4-A1 Roll 110-36-inch Cut sheet A4-A0 Roll 10-44- Cut sheet A4-A0 Media Handling Wedia Handling Up to 91m max length WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x USB Direct Standard	Roll 0.07mm-0.8mm - Cut sheet 0.07mm-0.8mm - Board 1.5mm			
Media Handling Cut sheet A4-A1 Cut sheet A4-A0 Cut sheet A4-A0 Media Handling up to 91m max length Cut sheet A4-A0 Cut sheet A4-A0 WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Connectivity USB Direct Standard				
Media Handling up to 91m max length WAN/LAN Hi_speed USB / T10Base-TX1000Base / IEEE802.1x Connectivity USB Direct				
Connectivity USB Direct Standard				
Standard				
	Standard			
Additional Data storage & processing 960GB Self Encyrpting SSD				
Productivity Options Productivity Production Stacker				
	Epson - Device Admin, Print Admin, Print Admin serverless, Accounting tool, ECS Port, Epson Edge			
	DINAX, EFI, Caldera, ColorGate, ONYX and more			
Power usage Printing <70w, Ready <32w, Sleep 2w, Off 0.3w				
Environmental Certifications Erp lot26, Nordic Swan				
Acoustic Noise / Pressure 50db(A) / 6.6B(A)				
Weights and Size (mm) 1365x499x975 1645x499x975 1848x499x				
Dimension Weight (KG) TBC TBC 155	(975			

SureColor SC-T3700, SC-T3700D, SC-T5700D, SC-T7700D

Ink and consumables

Cyan 350ml	C13T50U200
Magenta 350ml	C13T50U300
Yellow 350ml	C13T50U400
Matte Black 350ml	C13T50U800
Photo Black 350ml	C13T50U100
Red 350ml	C13T50UF00
Cyan 700ml	C13T50M200
Magenta 700ml	C13T50M300
Yellow 700ml	C13T50M400
Matte Black 700ml	C13T50M800
Photo Black 700ml	C13T50M100
Red 700ml	C13T50MF00

Options

24-inch Spindle	C12C937711
36-inch Spindle	C12C937671
44-inch Spindle	C12C936171
NFC card readers and cards	Available from 3rd party vendors

What's in the box

SureColour SC-T Printer
Initial ink 110ml
PostScript (excluding SC-T3700E, SC-T3700DE)
User manuals
Manufacturers Warranty
Driver

1.6L or 1600ml ink packs (SC-T7700DL only)

Cyan	C13T50A200
Magenta	C13T50A300
Yellow	C13T50A400
Matte Black	C13T50A800
Photo Black	C13T50A100
Red	C13T50A900

Consumables

Auto Cutter	C13S210117
Maintenance Tank (main)	C13S210115
Maintenance Tank (borderless)	C13S210116









rr visit www.epson-europe.com m +32 (0)2 792 04 47 Czcc46 800/142 052 Denmark 44 50 85 85 East Africa (+254) 734 354 075 II, operator charges may apply) Germany +48 (0) 2159/92 79 500 Greece (0030) 211 198 62 12 751833 Italy 02-660321 10 (0,12 €/min) Luxembourg +352 27860692 Middle East +9714 2677638 9 Norway +47 67 11 37 00 Poland 0-0-800 4911299 (0,16 2/min) Portugal 707 222 111 850 111 429 Southern Africa (+2711) 455-9621 Spain 93 882 15 00 Sweden 0771-400135 Issamtal – 0,84 k/min) Switzerland 022 59 7293 Tunisia (+216) 9833 3571 Turkey (0212) 3360303 k extras) West Africa (+234)8020727843

ed trademar bject to cha ks are the property of Seiko Eps inge without prior notice, on Corp ration or their respective ow

